





**AQUA PUR**

Traitement Des Eaux

CATALOG



# DUPLEX CLACK





Yoke Brass (1" BSP female)



Yoke Plastic (3/4" BSP male)



Connector 1" for 7700 Valve



Connector 5/4" for 7700 Valve



Bypass Brass 1" BSP



Bypass for 7700 Valve with clips



Bypass Plastic + Yoke male



SBV 2300  
(without aircheck)



SBV 2310  
(without aircheck)



SBV 2350  
(without aircheck)



Salt grid for brine tanks  
100 L, 150 L and 200 L



Salt grid for brine tanks  
200 L to 1500 L

## DUPLEX-ontharder omvat:

2 Fleck kleppen Top Mounted  
2 Composiet tanks  
Hars - voedingskwaliteit zonder solventen  
2 Zoutbakken  
Pekelschouw (2x)  
*Pekelklep - dubbele beveiliging\* (2x)*  
*Zoutbodem\* (2x)*

\* = Optie

## Composition de l'adoussiseur DUPLEX:

2 Vannes Top Mounted  
2 Bouteilles composite  
Résine - qualité alimentaire sans solvant chloré  
2 Bac à saumure  
Puits à saumure (2x)  
*Vanne à saumure double sécurité\* (2x)*  
*Plancher \* (2x)*

\* = Option

## DUPLEX-softener composed of:

2 Control valves Top Mounted  
2 Composite tanks  
Food grade solvent free resin  
2 Brine tanks  
Brine well  
*Brine valve - double security\* (2x)*  
*Brine grid\* (2x)*

\* – Option



DUPLEX  
Fleck 2910 NT

**WATER  
SPECIALIST  
CONTROL  
VALVE**



# SIMPLEX CLACK



## CLACK OPTIONS



V3070





V3191-01

SIMPLEX  
Fleck 2850



SIMPLEX  
Fleck 2910





SIMPLEX  
Fleck 5000SE



Flow scheme softener unit  
with Fleck 7700



SIMPLEX  
Fleck 7700

SIMPLEX  
Fleck 2750





# SIMPLEX FLECK



SIMPLEX  
Fleck 4600

## SIMPLEX-ontharder omvat:

Fleck klep (of een ander type uit ons gamma)  
Composiet tank  
Hars - voedingskwaliteit zonder solventen  
Zoutbak  
Pekelschouw  
*Pekelklep - dubbele beveiliging\**  
*Zoutbodem\**

\* = Optie

## Composition de l'adoucisseur DUO-BLOC:

Vanne

Bouteille composite

Résine - qualité alimentaire sans solvant chloré

Bac à saumure

Puits à saumure

*Vanne à saumure double sécurité\**

*Plancher \**

\* = Option



SIMPLEX  
Fleck 5600

# EUROCOMPACT® CLACK



## CLACK OPTIONS



V3006



V3007-06 / V3007-14


# EUROCOMPACT® CAPPERS




## CAPPERS OPTIONS

Bypass Option  
Add: 72 mm

Analysis taps Option  
Add: 8 mm



# EUROCOMPACT+® FLECK



## OPTIONS



Yoke Brass (1" BSP female)



Salt Grid



Bypass Brass 1" BSP



Yoke Plastic (3/4" BSP male)



SBV 2300  
(without aircheck)



Bypass Plastic + Yoke male



SBV 2310  
(without aircheck)

# Info Sheet SOFTENER UNITS

## MICRO COMPACT® FLECK



BINGO

## EUROCOMPACT® FLECK



SMALL



MEDIUM




LARGE



Blue high profile cover

# Info Sheet INLINE FILTERS

## ARION FILTERS



## CINTROPUR FILTERS

**NW 18**  
Ø 3/4"



**NW 25**  
Ø 3/4" of 1"



**NW 32**  
Ø 1 1/4"



**NW 50**  
Ø 2"



**NW 62**  
Ø 2 1/2"



**NW 75**  
Ø 3"



**NW 500**  
Ø 2"



**NW 650**  
Ø 2 1/2"



**NW 800**  
Ø 3"



### Filtration

Standard filter delivered as shown with a 25 µm filter sleeve and a black spanner for dismantling.

# PENTEK CARTRIDGE FILTERS

## HOUSINGS

### SLIM LINE® HOUSINGS



The 158005, 158006, 158114, 158115, 158128, 158129, 158131, 158148, 158195, 158196, 158204 and 158205 are Tested and Certified by NSF International under NSF/ANSI Standard 42 for material and structural integrity requirements only.

### STANDARD HOUSINGS



The 150001, 150002, 150067, 150068, 150071, 150072, 150435 and 150436 are Tested and Certified by NSF International under NSF/ANSI Standard 42 for material and structural integrity requirements only.

MB=Mounting Boss Cap #10 Clear MB

### THIRD GENERATION STANDARD FILTER HOUSINGS



The 3G Standard Caps and Sumps are Tested and Certified by NSF International.


\* Meter sold separately.

### THIRD GENERATION SLIM LINE® FILTER HOUSINGS



The 3G Slim Line® Caps and Sumps are Tested and Certified by NSF International.

## CARTRIDGES





MC-1A



SW-2



# AMG CARTRIDGE FILTERS

## FILTERS



Cartridge filter  
Clear or White



Inline filter **BYPASS**



Plastic key

## CARTRIDGES

Cartridge PP wound



Cartridge PP wound + GAC



Clear plastic cartridge





# Info Sheet DISTRIBUTORS AND PARTS



**Distributor Head  
890S**



**Distributor Head  
990S**



**Distributor Head  
900M**



**Distributor Head  
900M Hot Water**

# Info Sheet RESIDENTIAL R.O. SYSTEMS



Microline RO Unit TFC 335



*Post-filter and Cartridges*

## PRF-RO



## RO-2500



## RO-2600



# Info Sheet CHEMICALS



RES-CLEAN 250 ml



RES-CLEAN 5 L

## R.O. CHEMICALS

Old codes	New codes	Packing content
AQZ 340	<b>PC 77</b>	25 kg
AQZ 35	<b>PC 191T</b>	25 kg
AQZ 362	<b>PC 391</b>	20 kg
AQZ 960	<b>PC 98</b>	25 kg
AQZ 940	<b>PC 33</b>	25 kg
PC 67	<b>PC 67</b>	20 kg
CW 450	<b>77352</b>	25 kg



# Info Sheet TESTKITS



# RESINS



Résine cationique



Résine mixed

# RESINS

Article nr	Name	Type	Ionic form	Application
0405.28	Lewatit	S1567	Na+	Softening
0405.02	Ionac	NM 60	H+ / OH+	Mixed Bed
0405.20	Ionac	NM 91	H+ / OH+	Mixed Bed
0405.18	Lewatit	UPW 1294 MD (*) (*) : 50L drum !	H+ / OH-	Ultra high purity – Mixed bed
0405.04	Lewatit	IN 42	Inert granulate	Protection and covering
0405.03	Lewatit	MonoPlus SR-7	For packed bed systems	Nitrate removal
0405.11	Lewatit	S108	Na+ Demineralisation	
0405.10	Lewatit	S108H	H+ Demineralisation	
0405.11	Lewatit	S107NS	Na+ Demineralisation	
0405.05	Lewatit	MonoPlus M 500	Cl- Demineralisation	
0405.19	Lewatit	MonopPlus M800	Cl- Demineralisation	
0405.19	Lewatit	MonoPlus M 600	Cl- Demineralisation	
0405.07	Lewatit	MonoPlus MP 68	Cl- Demineralisation	
0405.44	Lewatit		Free base / Cl-Demineralisation / Waste water	
0405.08	Lewatit	CNP 80	H+Decarbonisation / industrial use	
0405.24	Lewatit	S 8227	H+Decarbonisation / Food grade !	
0405.16	Lewatit	TP 207	Na+Waste water / Selective metal recovery	
0405.13	Lewatit	MonoPlus SP 112	Na+Condensate / Waste water	
0405.32	Lewatit	MonoPlus SP 112 H	H+Condensate / Waste water	
0405.14	Lewatit	S 6328 A	Cl-Scavenger organic removal (taste, colour)	

**For other types : Please contact us with your requests !!**

Standard packaging : 25L bags – unless specified otherwise



AND



BY **LANXESS**  
Energizing Chemistry